L Number	Hits	Sear Text	DB	Time stamp
7	0	is adj provided adj in adj a adj	USPAT; US-PGPUB;	2004/05/13 21:35
		smart adj card adj system adj for adj issuing near2 managing near2 (smart adj card)	EPO; JPO; DERWENT; IBM TDB	
8	253	first adj data adj area	USPAT; US-PGPUB;	2004/05/13 21:36
			EPO; JPO; DERWENT; IBM TDB	
10	1	((first adj data adj area) same identification) same reissued	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 21:36
9	15	(first adj data adj area) same identification	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 21:36
_	1	("20020056079").PN.	IBM_TDB USPAT; US-PGPUB	2004/05/12 15:02
-	3487	(smart adj card) same (order\$3 or issu\$3 or re-issu\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/11 16:06
-	1	((smart adj card) same (reissu\$3 or re-issu\$3)) same database same (service adj provider)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/11 16:08
-	1	((smart adj card) same (reissu\$3 or re-issu\$3)) same (service adj provider)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 16:08
_	1	((smart adj card) same (reissu\$3 or re-issu\$3)) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 16:08
-	31	(smart adj card) same (reissu\$3 or re-issu\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 19:12
_	3	(smart adj card) same (reissu\$3 or re-issu\$3) same load\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 19:13
-	16	<pre>(card) same (reissu\$3 or re-issu\$3) same load\$3</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 19:24
_	80	(IC adj card) same (reissu\$3 or re-issu\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/11 19:27
-	5	((IC adj card) same (reissu\$3 or re-issu\$3)) same load\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 19:25

Search History 5/13/04 9:43:50 PM Page 1

Γ-	555	(ticket or card) same (reissu\$3 or	HCDame	12004/05/11
-	335	re-issu\$3)	USPAT; US-PGPUB;	2004/05/11 19:27
			EPO; JPO;	
			DERWENT; IBM TDB	
-	3	(ticket or card) same (reissu\$3 or	USPAT;	2004/05/11
		re-issu\$3) same (load\$3 near3 application)	US-PGPUB;	19:28
1		application)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	13	((re-issu\$3 or reissu\$3) near4 ((ic or smart) adj card)) and (load\$3 near4 card)	USPAT; US-PGPUB;	2004/05/12 15:03
		Tambo, and sere,, and (ready) moure oute,	EPO; JPO;	13.03
			DERWENT; IBM TDB	
-	68		USPAT;	2004/05/12
		smart) adj card)	US-PGPUB;	17:05
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	3	(re-issu\$3 or reissu\$3) near4 ((ic or smart) adj card) and satellite	USPAT; US-PGPUB;	2004/05/12
		James O, day Gara, and Sacciffice	EPO; JPO;	17.11
			DERWENT;	
_	18	(re-issu\$3 or reissu\$3) near4 ((ic or	IBM_TDB USPAT;	2004/05/12
		smart) adj card) and ((restor\$3 or	US-PGPUB;	17:18
		load\$3) near4 card)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	318	(re-issu\$3 or reissu\$3) near4 card	USPAT; US-PGPUB;	2004/05/12 17:21
			EPO; JPO;	17.21
			DERWENT;	
_	3	((re-issu\$3 or reissu\$3) near4 card) same	IBM_TDB USPAT;	2004/05/12
		reuse\$3	US-PGPUB;	17:22
			EPO; JPO; DERWENT;	
	_		IBM_TDB	
-	7	(re-issu\$3 or reissu\$3) same card same reuse\$3	USPAT; US-PGPUB;	2004/05/12
		1000000	EPO; JPO;	17.49
			DERWENT;	
_	o	(reload\$3 near3 application) same (card	IBM_TDB USPAT;	2004/05/12
		near3 issu\$3) same ((re-issu\$3 or	US-PGPUB;	17:51
		re-issu\$3) near4 card)	EPO; JPO; DERWENT;	ĺ
			IBM_TDB	
_	3	old same (card near3 issu\$3) same ((re-issu\$3 or re-issu\$3) near4 card)	USPAT; US-PGPUB;	2004/05/12 17:53
		, all to abbuyo, mouth oute,	EPO; JPO;	- /
			DERWENT;	
-	4	old same (card near3 reload\$3)	<pre>IBM_TDB USPAT;</pre>	2004/05/12
			US-PGPUB;	18:16
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	29128	<pre>(restor\$3 or reinstall\$3 or reconfigur\$3) same (configur\$5 or profile or database)</pre>	USPAT; US-PGPUB;	2004/05/12 18:17
		(Jonity of Profite of database)	EPO; JPO;	10.17
			DERWENT;	
_	46	((restor\$3 or reinstall\$3 or	IBM_TDB USPAT;	2004/05/12
		reconfigur\$3) same (configur\$5 or profile	US-PGPUB;	18:23
		or database)) same ((IC or smart) adj card)	EPO; JPO; DERWENT;	
		•	IBM_TDB	

			\	
-	1	(rei-su\$3 same (smart adj card)).ti.	USPAT;	2004/05/12
		-	US-PGPUB;	18:24
			EPO; JPO;	
			DERWENT;	1
ļ			IBM TDB	
-	26	(reissu\$3 same (ICadj card)).ti.	USPAT;	2004/05/12
		,,	US-PGPUB;	18:24
			EPO; JPO;	10.21
i			DERWENT;	
	i		IBM TDB	
_	6	(reissu\$3 same (IC adj card)).ti.	USPAT;	2004/05/12
		(10 auj 0azu//.c1.	US-PGPUB;	18:25
			EPO; JPO;	10:25
			DERWENT;	
	1		1	
_	3996	(reload\$3 or reissu\$3 or reinstall\$3)	IBM_TDB	2004 (05 (12
	3,30	same (profile or database or configur\$5)	USPAT;	2004/05/12
1		same (profile of database of configuras)	US-PGPUB;	20:45
1	1		EPO; JPO;	
			DERWENT;	
l _	51	//rolonde2 on majorue2	IBM_TDB	
-	31	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/05/12
		reinstall\$3)near4 card) same (profile or	US-PGPUB;	21:21
		database or configur\$5)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	51	•• · · · · · · · · · · · · · · · · · ·	USPAT;	2004/05/12
		reinstall\$3)near4 card) same (profile or	US-PGPUB;	21:21
		database or configur\$5)	EPO; JPO;]
			DERWENT;]
			IBM_TDB	1
_	0		USPAT;	2004/05/13
		same profile same network same database	US-PGPUB;	19:10
ļ			EPO; JPO;	}
			DERWENT;	1
[IBM_TDB	l
-	0		USPAT;	2004/05/13
		profile same network same database	US-PGPUB;	19:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	34	(re-install\$5 or reinstall\$5) same	USPAT;	2004/05/13
		network same database	US-PGPUB;	19:15
			EPO; JPO;	
			DERWENT;]
			IBM_TDB	1
-	23	(re-issu\$3 or reissu\$3) same network	USPAT;	2004/05/13
ĺ		same database	US-PGPUB;	19:17
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	39	(re-issu\$3 or reissu\$3) near3 (card or	USPAT;	2004/05/13
		disk or copy) same database	US-PGPUB;	19:18
	1		EPO; JPO;	
	[DERWENT;	
			IBM TDB	
				L